



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

June 2016 Volume: 13 Issue: 2

www.tjoddergisi.org

Clinical Investigations

► Estradiol level after ovulation trigger

Tetikleme sonrası estradiol düşüşü

Tayfun Kutlu, Enis Özkaya, İlhan Sanverdi, Belgin Devranoğlu, Cansu İpekçi, Birsen Konukçu, Yavuz Şahin, Ateş Karateke; İstanbul, Turkey

► Prolactin and β -hCG in premature preterm rupture of membranes diagnosis

Erken membran rüptürü tanısında prolaktin ve β -hCG

Marzieh Ghasemi, Reyhaneh Jaami, Ashraf Alleyassin, Alireza Ansarimoghaddam; Zahedan, Tehran, Iran

► Intraocular pressure changes in Syrian pregnant women

Gebeliğin farklı trimesterlerinde göz içi basınçları

Harun Egemen Tolunay, Sait Coşkun Özcan, Yavuz Emre Şükür, Deniz Özarslan Özcan, Fatih Mehmet Adıbelli, Neşe Gül Hilali; Şanlıurfa, Ankara, Turkey

► Uric acid levels and gestational diabetes

Ürik asit yüksekliğinin gestasyonel diyabetle ilişkisi

Seda Şahin Aker, Tuncay Yüce, Erkan Kalafat, Murat Seval, Feride Söylemez; Ankara, Turkey

► Fetal aortic Doppler for hemoglobinopathies

Hemoglobinopatiler için fetal aortik Doppler

Cihan Çetin, Selim Büyükkurt, Ebru Dünder Yenilmez, Mehmet Özürmeli, Mete Sucu, Cansun Demir; Adana, Turkey

► Second trimester uterine artery Doppler

İkinci trimester uterin arter Doppler

Deepthi Verma, Sangeeta Gupta; New Delhi, India

► Tocolytic effect on Doppler indices

Doppler akım indekslerine etkiler

Mahmut Güden, Mehmet Özgür Akkurt, Serenat Eriş Yalçın, Bora Coşkun, İltaç Akkurt, And Yavuz, Bülent Yirci, Necmi Ömer Kandemir; Ankara, Isparta, Turkey



TURKISH SOCIETY OF OBSTETRICS AND GYNECOLOGY

 **galenos**
yayınevi



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

Owner on the behalf of Turkish Society of Obstetrics and Gynecology

Cansun Demir

Editorial Board

Past/Honorary Editor in Chief

Hulusi Bülent Zeyneloğlu

Editor in Chief

Eray Çalışkan

Bahçeşehir University School of Medicine, Obstetrics and Gynecology, İstanbul, Turkey

Editors

Barış Ata

Koç University Faculty of Medicine, Obstetrics and Gynecology, İstanbul, Turkey

Cem Atabekoğlu

Ankara University Faculty of Medicine, Obstetrics and Gynecology, Ankara, Turkey

Bülent Haydardedeoğlu

Başkent University Faculty of Medicine, Obstetrics and Gynecology, Ankara, Turkey

Mertihan Kurdoğlu

Gazi University Faculty of Medicine, Obstetrics and Gynecology, Ankara, Turkey

Fatma Ferda Verit

İstanbul Suleymaniye Maternity Training and Research Hospital, Obstetrics and Gynecology, İstanbul, Turkey

Gökhan Yıldırım

İstanbul Kanuni Sultan Süleyman Training and Research Hospital, Perinatology Unit, İstanbul, Turkey

Section Editors

Gürkan Bozdağ

Hacettepe University Faculty of Medicine, Obstetrics and Gynecology, Ankara, Turkey

Cem Çelik

Bahçeşehir Umut IVF Center, İstanbul

Evrin Erdemoğlu

Süleyman Demirel Faculty of Medicine, Gynecologic Oncology, Isparta, Turkey

Melih Atahan Güven

Acıbadem Hospital, Obstetrics and Gynecology Unit, İstanbul, Turkey

Özlem Özdeğirmenci

Zekai Tahir Burak Women's Health Training and Research Hospital, Obstetrics and Gynecology Unit, Ankara, Turkey

Kemal Özerkan

Uludağ University Faculty of Medicine, Obstetrics and Gynecology, Bursa, Turkey

Recep Yıldızhan

Yüzüncü Yıl University Faculty of Medicine, Obstetrics and Gynecology and Perinatology, Van, Turkey

English Language Editor

David Chapman, Ipswich, England

Statistics Editors

Murat Api

Zeynep Kamil Training and Research Hospital, Obstetrics and Gynecology Unit, İstanbul, Turkey

Ayşen Telce Boza

Göztepe Training and Research Hospital, Obstetrics and Gynecology Unit, İstanbul, Turkey

Managing Editors

Yiğit Çakıroğlu

Kocaeli University, Faculty of Medicine, Obstetrics and Gynecology, Kocaeli, Turkey

Emek Doğer

Kocaeli University, School of Medicine, Obstetrics and Gynecology, Kocaeli, Turkey

Rahime Nida Bayık

Bahçeşehir University School of Medicine, Obstetrics and Gynecology, İstanbul, Turkey

Editorial Board

Remzi Abalı

Namık Kemal University School of Medicine, Obstetrics and Gynecology, Tekirdağ, Turkey

Münire Erman Akar

Akdeniz University Faculty of Medicine, Obstetrics and Gynecology, Antalya, Turkey

Aris Antsaklis

University of Athens, Obstetrics and Gynecology, Athens, Greece

Aydın Arıcı

Yale University, Obstetrics, Gynecology and Reproductive Sciences, Connecticut, USA

Tayfun Bağış

Acıbadem University Faculty of Medicine, Obstetrics and Gynecology, İstanbul, Turkey

Başak Baksu

Şişli Etfal Training and Research Hospital, Obstetrics and Gynecology Unit, İstanbul, Turkey

Eralp Başer

Zekai Tahir Burak Women's Health Training and Research Hospital, Gynecologic Oncology Unit, Ankara, Turkey

Ercan Baştu

İstanbul University Faculty of Medicine, Obstetrics and Gynecology, İstanbul, Turkey

Orhan Bukulmez

University of Texas Southwestern Medical Center, Reproductive Endocrinology and Infertility, Dallas, USA

Sabri Cavkaytar

Zekai Tahir Burak Women's Health Training and Research Hospital, Gynecologic Oncology Unit, Ankara, Turkey

Aylin Pelin Çil

Gazi Public Hospital, Obstetrics and Gynecology Unit, Ankara, Turkey

Cem Dane

Haseki Training and Research Hospital, Gynecologic Oncology Unit, İstanbul, Turkey

Polat Dursun

Başkent University Faculty of Medicine, Obstetrics and Gynecology, Ankara, Turkey

Mehmet Sıddık Evsen

Dicle University Faculty of Medicine, Obstetrics and Gynecology, Diyarbakır, Turkey

Kazım Gezginç

Necmettin Erbakan University Meram Faculty of Medicine, Obstetrics and Gynecology, Konya, Turkey

Çağrı Gülümser

Başkent University Faculty of Medicine, Obstetrics and Gynecology, Ankara, Turkey

Haldun Güner

Gazi University Faculty of Medicine, Obstetrics and Gynecology, Ankara, Turkey

Servet Özden Hacivelioglu

Çanakkale Onsekiz Mart University Faculty of Medicine, Obstetrics and Gynecology, Çanakkale, Turkey

Issam Lebbi

Ob-Gyn and Fertility Private Clinic; Dream Center, Belvedere, Tunisia

Giampaolo Mandruzzato

Istituto per l'Infanzia, Burlo Garofolo, Obstetrics and Gynecology, Trieste, Italy

Charles E. Miller

Edward-Elmhurst Health Hospital, Gynecology; Reproductive Endocrinology and Infertility, The Advanced IVF and Gynecologic Surgery Institute, Naperville, USA



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

Ceana H. Nezhat

Northside Hospital, Director of Training and Education, Nezhat Medical Center, Endometriosis, Minimally Invasive Surgery, Atlanta, USA

Sabiha Özdemir Özkan

Kocaeli University Faculty of Medicine, Obstetrics and Gynecology, Kocaeli, Turkey

Batuhan Özmen

Ankara University Faculty of Medicine, Cebeci Training and Research Hospital, Obstetrics and Gynecology Unit, Ankara, Turkey

Abdullah Karaer

İnönü University Faculty of Medicine, Obstetrics and Gynecology, Malatya, Turkey

Emre Karaşahin

Gülhane Military Medical Academy, Obstetrics and Gynecology, Ankara, Turkey

Taner Kasapoğlu

Etlik Zübeyde Hanım Training and Research Hospital, Perinatology Unit, Ankara, Turkey

Esra Buldan Kılıçdağ

Başkent University Faculty of Medicine, Obstetrics and Gynecology, Ankara, Turkey

Ali Kolusarı

Yüzüncü Yıl University Faculty of Medicine, Obstetrics and Gynecology and Perinatology, Van, Turkey

Zehra Kurdoğlu

Yüzüncü Yıl University Faculty of Medicine, Obstetrics and Gynecology and Perinatology, Van, Turkey

Mehmet Anıl Onan

Gazi University Faculty of Medicine, Obstetrics and Gynecology, Ankara, Turkey

Federico Prefumo

Local Health District of Garda, Obstetrics, Brescia, Italy

Walid Saghir

Clemenceau Medical Center and Trad Hospital, Lebanon, UAE

Emre Seli

Yale University, Obstetrics, Gynecology, and Reproductive Sciences, Connecticut, USA

Silber Sherman

Infertility Center of St. Louis at St. Luke's Hospital; Public Health Service, Alaska, USA

Akın Sivaslıoğlu

Ankara Atatürk Training and Research Hospital, Obstetrics and Gynecology Unit, Ankara, Turkey

Fatih Şendağ

Acıbadem University Faculty of Medicine, Obstetrics and Gynecology, İstanbul, Turkey

Alper Tanrıverdi

Adnan Menderes University Faculty of Medicine, Obstetrics and Gynecology, Aydın, Turkey

Ebru Tarım

Baskent University Adana Application and Research Center, Obstetrics and Gynecology Unit, Adana, Turkey

İlgın Türkçüoğlu

İnönü University Faculty of Medicine, Obstetrics and Gynecology, Malatya, Turkey

Mete Gürol Uğur

Gaziantep University Faculty of Medicine, Obstetrics and Gynecology, Gaziantep, Turkey

Serdar Ural

Penn State Hershey Womens Health Obstetrics and Gynecology, Maternal-Fetal Medicine, Pennsylvania, USA

Yaprak Üstün

Zekai Tahir Burak Women's Health Training and Research Hospital, Obstetrics and Gynecology Unit, Ankara, Turkey

Yusuf Üstün

Medicana International Ankara Hospital, Obstetrics and Gynecology Unit, Ankara, Turkey

Gazi Yıldırım

Yeditepe University Faculty of Medicine, Obstetrics and Gynecology, İstanbul, Turkey

Contact

Çetin Emeç Bulvarı Hürriyet Caddesi Harbiye Mahallesi 1/13 Öveçler, Ankara, Turkey

Phone: +90 312 481 06 06 Fax: +90 312 481 28 28 E-mail: editor@tjod.org

All rights are reserved. Rights to the use and reproduction, including in the electronic media, of all communications, papers, photographs and illustrations appearing in this journal belong to the Turkish Journal of Obstetrics and Gynecology. Reproduction without prior written permission of part or all of any material is forbidden. The journal complies with the Professional Principles of the Press.

The paper used to print this journal conforms to ISO 9706: 1994 standard (Requirements for Permanence). The National Library of Medicine suggests that biomedical publications be printed on acid-free paper (alkaline paper).

Reviewing the articles' conformity to the publishing standards of the Journal, typesetting, reviewing and editing the manuscripts and abstracts in English and publishing process are realized by Galenos.



Galenos Publishing House

Owner & Publisher

Erkan Mor

e-mail: erkan@galenos.com.tr

Publications Director

Nesrin Çolak

e-mail: nesrin@galenos.com.tr

Publications Coordinator

Burak Sever

e-mail: burak@galenos.com.tr

Project Coordinators

Sati Doruk - Ebru Boz

e-mail: yayin@galenos.com.tr

Project Assistants

Turgay Akpınar, Hatice Balta, Eda Kolukisa, Zeynep Altındağ

Artwork/Graphics Director

Çiğdem Birinci

Research&Development

Büşrah Toparslan

Finance Coordinator

Sevinç Çakmak

e-mail: sevinc@galenos.com.tr

Galenos Publisher Contact

Address: Molla Gürani Mahallesi Kaçamak Sokak No: 21

34093 Fındıkzade-İstanbul-Turkey

Phone: +90 (212) 621 99 25 Fax: +90 (212) 621 99 27

E-mail: info@galenos.com.tr Web Site: www.galenos.com.tr

Printing at: Özgün Ofset Ticaret Ltd. Şti.

Yeşilce Mah. Aytekin Sk. No: 21 34418 4.Levent / İSTANBUL

Phone: +90 212 280 00 09

Date of printing: July 2016

ISSN: 2149-9322 E-ISSN: 2149-9330



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

AIMS AND SCOPE

Turkish Journal of Obstetrics and Gynecology is the official peer-reviewed publication of the Turkish Society of Obstetrics and Gynecology and is published quarterly on March, June, September and December.

The target audience of Turkish Journal of Obstetrics and Gynecology includes gynecologists, obstetricians, urogynecologists, reproductive medicine specialists, gynecological oncologists and primary care physicians interested in gynecology practice. It publishes original work on all aspects of obstetrics and gynecology. The aim of Turkish Journal of Obstetrics and Gynecology is to publish high quality original research articles. In addition to research articles, reviews, editorials, letters to the editor and case presentations are also published.

It is an independent peer-reviewed international journal printed in English language. Manuscripts are reviewed in accordance with "double-blind peer review" process for both referees and authors.

The General Guidelines for manuscript preparation specified below are based on "Recommendations for the Conduct, Reporting, Editing, & Publication of Scholarly Work in Medical Journals (ICMJE Recommendations)" by the International Committee of Medical Journal Editors (2013, archived at <http://www.icmje.org/>).

Turkish Journal of Obstetrics and Gynecology is indexed in EBSCO, DOAJ, Index Copernicus, Scopus, CINAHL, Google Scholar, Tübitak/ Ulakbim Turkish Medical Database, Turk Medline and Turkey Citation Index.

Open Access Policy

This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

Open Access Policy is based on rules of Budapest Open Access Initiative (BOAI) <http://www.budapestopenaccessinitiative.org/>. By "open access" to [peer-reviewed research literature], we mean its free availability on the public internet, permitting any users to read, download, copy, distribute, print, search, or link to the full texts of these articles, crawl them for indexing, pass them as data to software, or use them for any other lawful purpose, without financial, legal, or technical barriers other than those inseparable from gaining access to the internet itself. The only constraint on reproduction and distribution and the only role for copyright in this domain, should be to give authors control over the integrity of their work and the right to be properly acknowledged and cited.

Subscription Information

Turkish Journal of Obstetrics and Gynecology is distributed free of charge to all physicians, specialists in obstetrics and gynecology field. The access to tables of contents, abstracts and full texts of all articles published since 2003 are free to all readers via the journal's webpage

"<http://www.tjoddergisi.org>". Visit the journal's home pages for details of the aims and scope and instruction to authors.

Manuscripts can only be submitted electronically through the Journal Agent website (<http://journalagent.com/tjo/>) after creating an account. This system allows online submission and review. For any requires of manuscript status: Editor in Chief, Eray Çalışkan, M.D.

Permission

Permission requests to reproduce copies of articles for non-commercial use may be obtained from the Editorial Office:

Editor in Chief Eray Çalışkan, M.D.

Address : Çetin Emeç Bulvarı Hürriyet Caddesi Harbiye Mahallesi 1/13 Öveçler, Ankara-Turkey

Phone : +90 (312) 481 06 06

Fax : +90 (312) 481 28 28

E-mail : info@tjod.org

Advertising

Enquiries concerning advertisements should be addressed to Editorial Office:

Galenos Yayınevi Tic. Ltd. Şti.

Address : Molla Gürani Mah. Kaçamak Sk. No: 21 34093 Fındıkzade, İstanbul-Turkey

Phone : +90 212 621 99 25

Fax : +90 212 621 99 27

E-mail : yayin@galenos.com.tr

Instructions for Authors

Instructions for authors page at the journal is available in the journal content and at www.tjoddergisi.org

Disclaimer

The statements and opinions contained in the articles of the Turkish Journal of Obstetrics and Gynecology are solely those of the individual authors and contributors not of the Turkish Society of Obstetrics and Gynecology or Galenos.

The journal is printed on acid-free paper.

This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

INSTRUCTIONS FOR AUTHORS

The "Turkish Journal of Obstetrics and Gynecology" (ISSN 1305-4252) is the official publication of the Turkish Society of Obstetricians and Gynecologists. The journal is published quarterly (January, April, June and October) in English and publishes original peer-reviewed articles, reviews, case reports and commentaries in the fields of gynecology, gynecologic oncology, endocrinology and reproductive medicine and obstetrics. The journal will give publication priority to original research articles over case reports. Reviews will be considered for publication only if they are prepared by authors who have at least three published manuscripts in international peer-reviewed journals on the topic of the review and these studies should be cited in the review. Otherwise only invited reviews will be considered for peer-review from qualified experts in the area.

The "Turkish Journal of Obstetrics and Gynecology" is a peer-reviewed journal and adheres to the highest ethical and editorial standards. The editors also adhere to the Committee on Publications Ethics (COPE) recommendations (<http://publicationethics.org>).

Turkish Journal of Obstetrics and Gynecology do not charge any article submission or processing charges.

Turkish Journal of Obstetrics and Gynecology is indexed in EBSCO, DOAJ, Index Copernicus, Scopus, Google Scholar, Tübitak/ULAKBİM Turkish Medical Database and Turkey Citation Index.

Submission of Manuscripts

Turkish Journal of Obstetrics and Gynecology has specific instructions and guidelines for submitting articles. Those instructions and guidelines are readily available on the submission service site. Submit all manuscripts through the journal's web page at www.tjoddergisi.org. New users should first create an account. Once a user is logged onto the site, submissions should be made via the Author Centre. Download the Instructions to Authors for detailed notes on how to prepare your manuscript.

Manuscripts submitted via any other medium will not be evaluated. During the submission please make sure to provide all requested information to prevent any possible delays in the evaluation process. Only those submitted articles are not currently being considered by another journal, or have not been previously published, will be considered for publication in Turkish Journal of Obstetrics and Gynecology. The submitted articles are firstly looked over by the editors. The articles fit for the originality and the requirements of the journal are peer-reviewed by the national or international referees. Acceptance for publication is based on significance, novelty, and quality of the article.

Authors who have any queries regarding the submission process can contact the journal's editorial office:

Çetin Emeç Bulvarı Harbiye Mahallesi Hürriyet Caddesi 1/3
Öveçler/Ankara

Phone number: +90 (312) 481 06 06

E-mail: editor@tjod.org

Editorial Policies

All manuscripts will be evaluated for their scientific contribution, originality and content by the editorial board. Only those submitted articles are not currently being considered by another journal, or have not been previously published, will be considered for publication in

Turkish Journal of Obstetrics and Gynecology. Authors are responsible for the accuracy of the data presented in their manuscript. The journal retains the right to make appropriate changes on the grammar and language of the manuscript when needed. When suitable the manuscript will be sent to the corresponding author for revision. The manuscript, if accepted for publication, will become the property of the journal and copyright will be taken out in the name of the journal.

Turkish Journal of Obstetrics and Gynecology is an independent international journal based on double-blind peer-review principles. The manuscript is assigned to the Editor in Chief, who reviews the manuscript and makes an initial decision based on manuscript quality and editorial priorities. These manuscripts are sent for external peer review, the Editor in Chief assigns Associate Editor. The Associate Editor sends the manuscript to the 3 reviewers internal and external reviewers. The reviewers must review the manuscript in 21 days. Associate Editor recommends decision based on the reviewers' recommendations and sends the manuscript to the Editor in Chief. The Editor-in-Chief makes a final decision based on editorial priorities, manuscript quality and reviewer recommendations. If there are any conflicting recommendation of reviewers, Editor-in-Chief can assign a new reviewer. The scientific board guiding the selection of the papers to be published in the journal consists of elected experts of the journal and if necessary, selected from national and international experts in the relevant field of research. All manuscripts are reviewed by the editor, section associate editors and at least three internal and external expert referees. All research articles undergo review by statistics editor as well. Full text of all articles can be downloaded at the web site of the journal: www.tjoddergisi.org

Authorship

The role of authorship in Turkish Journal of Obstetrics and Gynecology is reserved for those individuals who meet the criteria recommended by the International Committee of Medical Journal Editors (ICMJE; <http://www.icmje.org>). Describe each authors' contribution by using ICMJE's criteria: substantial contributions to the conception or design; the acquisition, analysis, or interpretation of data; drafting the work or revising it critically for important intellectual content; final approval of the version to be published; agreement to be accountable for all aspects of the study in ensuring that questions related to the accuracy or integrity of any part of the work are appropriately investigated and resolved. The statement about the authors' contributions should be placed in the cover letter. All persons who contributed to the work, but not sufficiently to be authors, must be acknowledged.

Cover Letter

Cover letter to the editors addressing the following points:

- The authors' intent to submit solely to Turkish Journal of Obstetrics and Gynecology.
- Verification that the manuscript is not under consideration elsewhere, and indication from the authors that it will not be submitted elsewhere until a final decision is made by the editors of Turkish Journal of Obstetrics and Gynecology.
- The declaration of transparency from the corresponding author
- Clinical trial registration, if applicable.
- Institutional review board (IRB) approval or exemption.
- Informed consent.



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

INSTRUCTIONS FOR AUTHORS

- Any explanations related to reporting guidelines.
- The statement about the authors' contributions.

Copyright

The author(s) transfer(s) the copyright to his/her article to the Turkish Journal of Obstetrics and Gynecology effective if and when the article is accepted for publication. The copyright covers the exclusive and unlimited rights to reproduce and distribute the article in any form of reproduction (printing, electronic media or any other form); it also covers translation rights for all languages and countries. For U.S. authors the copyright is transferred to the extent transferable.

Submissions must be accompanied by the "Copyright Transfer Statement". The form is available for download on the journal's manuscript submission and evaluation site. The copyright transfer form should be signed by all contributing authors and a scanned version of the wet signed document should be submitted.

Preparation of Manuscripts

The "Turkish Journal of Obstetrics and Gynecology" follows the Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals" (International Committee of Medical Journal Editors - <http://www.icmje.org/>). Upon submission of the manuscript, authors are to indicate the type of trial/research and provide the checklist of the following guidelines when appropriate:

CONSORT statement for randomized controlled trials (Moher D, Schultz KF, Altman D, for the CONSORT Group. The CONSORT statement revised recommendations for improving the quality of reports of parallel group randomized trials. JAMA 2001; 285: 1987-91) (<http://www.consort-statement.org/>),

PRISMA for preferred reporting items for systematic reviews and meta-analyses (Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group. Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Med 2009; 6(7): e1000097.) (<http://www.prisma-statement.org/>),

STARD checklist for the reporting of studies of diagnostic accuracy (Bossuyt PM, Reitsma JB, Bruns DE, Gatsonis CA, Glasziou PP, Irwig LM, et al, for the STARD Group. Towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative. Ann Intern Med 2003;138:40-4.) (<http://www.stard-statement.org/>),

STROBE statement—checklist of items that should be included in reports of observational studies (<http://www.strobe-statement.org/>),

MOOSE guidelines for meta-analysis and systemic reviews of observational studies (Stroup DF, Berlin JA, Morton SC, et al. Meta-analysis of observational studies in epidemiology: a proposal for reporting Meta-analysis of observational Studies in Epidemiology (MOOSE) group. JAMA 2000; 283: 2008-12).

Human and Animal Studies

Manuscripts submitted for publication must contain a statement to the effect that all human studies have been reviewed by the appropriate ethics committee and have therefore been performed in accordance with the ethical standards described in an appropriate version of the 1975 Declaration of Helsinki, as revised in 2000. It should also be stated clearly in the text that all persons gave their informed consent prior to their inclusion in the study. Details that might disclose the identity

of the subjects under study should be omitted. Experimental animal studies should be presented with the disclosure of the appropriateness to the institutional/national/international ethical guides on care and use of laboratory animals.

Reports of animal experiments must state that the "Principles of laboratory animal care" (NIH publication No. 86-23, revised 1985) were followed, as well as specific national laws where applicable.

The editors reserve the right to reject manuscripts that do not comply with the above mentioned requirements. The author will be held responsible for false statements or for failure to fulfill the above mentioned requirements.

Authors must provide statement on the absence of conflict of interests between authors and provide authorship contributions and declare if any financial/material support.

Manuscript Structure

All manuscripts must be submitted as Microsoft Word (.doc or .docx) files. All manuscript pages (including references, tables, and figure legends) must be double-spaced. Use a standard, 12-point typeface such as Times New Roman. Top, bottom, and side margins should be set at 1 inch. Authors must include the following in the manuscript file:

Title Page

A separate title page should list;

- The manuscript title, which should contain no more than a total of 100 characters (counting letters and spaces) and should not be declarative; do not use abbreviations or commercial names in the title.
- A short title of no more than 50 characters, including spaces, for use as a running foot.
- All author name(s), institutional, corporate, or commercial affiliations, and up to two major degree(s).
- Corresponding author's name, address, telephone (including the mobile phone number), fax numbers and e-mail address (the corresponding author will be responsible for all correspondence and other matters relating to the manuscript).

Precis

The precis is a one-sentence synopsis of no more than 30 words that describes the basic findings of the article. Precis sample can be seen below:

'Using a 45 point questionnaire, we have evaluated the trend of Robotic surgery training in the gynecologic surgery fellowship programs across the nation.'

Abstract

All manuscripts should be accompanied by an abstract. All information in the abstract should be consistent with the information in the text, tables, or figures. Avoid use of commercial names in the abstract. Original research reports should have a structured abstract of no more than 250 words, using the following headings:

- **Objective:** Main question, objective, or hypothesis (single phrase starting with, for example, "To evaluate..." or "To estimate." [never start with "To determine."]).
- **Material and Methods:** Study design, participants, outcome measures, and in the case of a negative study, statistical power.

INSTRUCTIONS FOR AUTHORS

• **Results:** Measurements expressed in absolute numbers and percentages, and when appropriate indicate relative risks or odds ratios with confidence intervals and level of statistical significance; any results contained in the abstract should also be presented in the body of the manuscript, tables, or figures.

• **Conclusion:** Directly supported by data, along with clinical implications.

Authors from Turkey or Turkish speaking countries are expected to submit a Turkish abstract including subheadings such as "Amaç, Materyal ve Metod, Bulgular, Sonuç". The abstract of Authors whose native language is not Turkish will be provided free of charge translation services into Turkish language.

A structured abstract is not required with review articles and case reports.

Key Words

Below the abstract provide 3 to 5 key words. Abbreviations should not be used as key words. Key words should be picked from the Medical Subject Headings (MeSH) list (www.nlm.nih.gov/mesh/MBrowser.html).

Turkish abstracts should have key words "Anahtar Kelimeler" picked from www.atifdizini.com under "Turkey Bilim Terimleri" link.

Several types of articles can be submitted for publication in Turkish Journal of Obstetrics and Gynecology: Original research, case reports, systematic reviews, current commentaries, procedures and instruments, and letters. Stated word counts and page limits were shown in Table 1. Copyright transfer forms, the cover letter, and figures do not contribute to the page limits.

Table 1. Manuscript length at a glance

Article type	Abstract Length	Manuscript Word Count*	Maximum Number of Authors	Maximum Number of References [†]
Original Research	250 words	5,500 words (~22 pages) [‡]	NA	30
Case report	150 words	2,000 words (~8 pages)	4	8
Systematic review	300 words	6,250 words (~25 pages)	4	60
Current commentary	250 words	3,000 words (~12 pages)	4	12
Procedure and Instruments	200 words	2,000 words (~8 pages)	4	10
Letters	NA	350 words	4	5

*Manuscript length includes all pages in a manuscript (ie, title page, abstract, text, references, tables, boxes, figure legends, and appendixes). [†]Suggested limit. [‡]The Introduction should not exceed 250 words. [§]approximately; NA, not applicable.

Original researches should have the following sections;

Introduction

State concisely the purpose and rationale for the study and cite only the most pertinent references as background. Avoid a detailed literature review in this section.

Material and Methods

Describe the research methodology (the patients, experimental animals, material and controls, the methods and procedures utilized, and the statistical method(s) employed) in sufficient detail so that others could duplicate the work. Identify methods of statistical analysis and when appropriate, state the basis (including alpha and beta error estimates) for their selection. Cite any statistical software programs used in the text. Express p values to no more than two decimal places. Indicate your study's power to detect statistical difference.

Address "IRB" issues and participants informed consent as stated above, the complete name of the IRB should be provided in the manuscript. State the generic names of the drugs with the name and country of the manufactures.

Results

Present the detailed findings supported with statistical methods. Figures and tables should supplement, not duplicate the text; presentation of data in either one or the other will suffice. Authors should report outcome data as both absolute and relative effects since information presented this way is much more useful for clinicians. Actual numbers and percentages should be given in addition to odds ratios or relative risk. When appropriate, number needed to treat for benefits (NNTb) or harm (NNTh) should be supplied. Emphasize only your important observations; do not compare your observations with those of others. Such comparisons and comments are reserved for the discussion section.

Discussion

Begin with a description of what your study found in relation to the purpose or objectives as stated in the Introduction. State the importance and significance of your findings to clinicians and actual patient care but do not repeat the details given in the Results section. Limit your opinions to those strictly indicated by the facts in your report. Compare your finding with previous studies with explanations in cases where they differ, although a complete review of the literature is not necessary.

Study Limitations

Provide information on the limitations of the study. No new data are to be presented in this section. A final summary is not necessary, as this information should be provided in the abstract and the first paragraph of the Discussion. Although topics that require future research can be mentioned, it is unnecessary to state, "Further research is needed."

Conclusion

The conclusion of the study should be highlighted. The study's new and important findings should be highlighted and interpreted.

Conflict of Interest

Authors must indicate whether or not they have a financial relationship with the organization that sponsored the research.

The main text of case reports should be structured with the following subheadings: Introduction, Case Presentation, Discussion, Study Limitations, Conclusion and References.

References

References are numbered (Arabic numerals) consecutively in the order in which they appear in the text (note that references should not appear in the abstract) and listed double-spaced at the end of the manuscript. The preferred method for identifying citations in the text is



INSTRUCTIONS FOR AUTHORS

using within parentheses. Use the form of the "Uniform Requirements for Manuscripts" (<http://www.icmje.org/about-icmje/faqs/icmje-recommendations/>). If number of authors exceeds seven, list first 6 authors followed by et al.

Use references found published in peer-reviewed publications that are generally accessible. Unpublished data, personal communications, statistical programs, papers presented at meetings and symposia, abstracts, letters, and manuscripts submitted for publication cannot be listed in the references. Papers accepted by peer-reviewed publications but not yet published ("in press") are not acceptable as references.

Journal titles should conform to the abbreviations used in "Cumulated Index Medicus".

Examples

Journals; Zeyneloglu HB, Onalan G. Remedies for recurrent implantation failure. *Semin Reprod Med* 2014;32:297-305.

Book chapter; Ayhan A, Yenen MC, Dede M, Dursun P, Gultekin M. How to Manage Pre-Invasive Cervical Diseases? An Overview. In: Ayhan A, Gultekin M, Dursun P, editors. *Textbook of Gynaecological Oncology*. Ankara, Turkey: Gunes Publishing; 2010. p 28-32.

Book; Arici A; Seli E. In Arici A and Seli E (eds). *Non-invasive Management of Gynecologic Disorders*. London: Informa Healthcare; 2008.

Tables and Figures

Tables should be included in the main document after the reference list. Color figures or gray-scale images must be at minimum 300 DPI resolutions. Figures should be submitted in ".tiff", ".jpg" or ".pdf" format and should not be embedded in the main document. Tables and figures consecutively in the order they are referred to within the main text. Each table must have a title indicating the purpose or content of the table. Do not use internal horizontal and vertical rules.

Place explanatory matter in footnotes, not in the heading. Explain all abbreviations used in each table in footnotes. Each figure must have an accompanying descriptive legend defining abbreviations or symbols found in the figure. If photographs of people are used, the subjects must be unidentifiable and the subjects must have provided written permission to use the photograph. There is no charge for color illustrations.

Units of Measurement and Abbreviations

Units of measurement should be in Système International (SI) units. Abbreviations should be avoided in the title. Use only standard abbreviations. If abbreviations are used in the text, they should be defined in the text when first used.

Revisions

Revisions will be sent to the corresponding author. Revisions must be returned as quickly as possible in order not to delay publication. Deadline for the return of revisions is 30 days. The editorial board retains the right to decline manuscripts from review if authors' response delays beyond 30 days. All reviewers' comments should be addressed https://www.youtube.com/watch?v=7BQby_KKRAU a revision note containing the author's responses to the reviewers' comments should be submitted with the revised manuscript. An annotated copy of the main document should be submitted with revisions. The Editors have the right to withdraw or retract the paper from the scientific literature in case of proven allegations of misconduct.

Accepted Articles

Accepted articles are provided with a DOI number and published as ahead of print articles before they are included in their scheduled issue.

Journal and Society Web sites:

www.tjod.org (Turk Jinekoloji ve Obstetrik Dernegi)

www.tjoddergisi.org (Turkish Journal of Obstetrics and Gynecology)

CONTENTS

Clinical Investigations

- 56** The relationship between estradiol-progesterone alterations after ovulation trigger and treatment success in intrauterine insemination cycles
Ovülasyon tetiklenmesi sonrası östrojen-progesteron değişimi ile intrauterin inseminasyon sikluslarının başarısı arasındaki ilişki
Tayfun Kutlu, Enis Özkaya, İlhan Şanverdi, Belgin Devranoğlu, Cansu İpekçi, Birsen Konukçu, Yavuz Şahin, Ateş Karateke; İstanbul, Turkey
- 62** The value of urea, creatinine, prolactin, and beta sub-unit of human chorionic gonadotropin of vaginal fluid in the diagnosis of premature preterm rupture of membranes in pregnancy
Gebelikte prematüre preterm membran rüptürü tanısında vajinal sıvıda üre, kreatinin, prolaktin ve beta-insan koryonik gonadotropinin değeri
Marzieh Ghasemi, Reyhaneh Jaami, Ashraf Alleyassin, Alireza Ansarimoghaddam; Zahedan, Tehran, Iran
- 67** Changes of intraocular pressure in different trimesters of pregnancy among Syrian refugees in Turkey: A cross-sectional study
Türkiye’de yaşayan Suriyeli göçmenlerde gebeliğin farklı trimesterlerinde göz içi basıncındaki değişiklikler: Kesitsel çalışma
Harun Egemen Tolunay, Sait Coşkun Özcan, Yavuz Emre Şükür, Deniz Özarslan Özcan, Fatih Mehmet Adıbelli, Neşe Gül Hilali; Şanlıurfa, Ankara, Turkey
- 71** Association of first trimester serum uric acid levels gestational diabetes mellitus development
İlk trimester ürik asit yüksekliğinin gestasyonel diabetes mellitus ile ilişkisi
Seda Şahin Aker, Tuncay Yüce, Erkan Kalafat, Murat Seval, Feride Söylemez; Ankara, Turkey
- 75** First trimester fetal aortic Doppler for hemoglobinopathies
Hemoglobinopatiler için ilk trimesterde fetal aortik Doppler
Cihan Çetin, Selim Büyükkurt, Ebru Dünder Yenilmez, Mehmet Özsüzmeli, Mete Sucu, Cansun Demir; Adana, Turkey
- 80** Prediction of adverse pregnancy outcomes using uterine artery Doppler imaging at 22-24 weeks of pregnancy: A North Indian experience
Gebeliğin 22.-24. haftasında, uterin arter Doppler görüntüleme ile advers gebelik sonuçlarının belirlenmesi: Bir Kuzey Hindistan deneyimi
Deepti Verma, Sangeeta Gupta; New Delhi, India
- 85** A comparison of the effects of the most commonly used tocolytic agents on maternal and fetal blood flow
En sık kullanılan tokolitik ilaçların maternal ve fetal kan akımları üzerine olan etkilerinin karşılaştırılması
Mahmut Güden, Mehmet Özgür Akkurt, Serenat Eriş Yalçın, Bora Coşkun, İlaç Akkurt, And Yavuz, Bülent Yirci, Necmi Ömer Kandemir; Ankara, Isparta, Turkey

Review

- 90** Luteal phase support in intrauterine insemination cycles
Intrauterin inseminasyon sikluslarında luteal faz desteği
İsmet Gün, Özkan Özdamar, Ali Yılmaz; İstanbul, Turkey

Case Reports

- 95** Live birth after transfer of a tripronuclear embryo: An intracytoplasmic sperm injection as a combination of microarray and time-lapse technology
Triproukleer bir embriyonun transferiyle elde edilen canlı doğum: Mikroarray ve time lapse teknolojisinin kombinasyonu olan bir intra-sitoplazmik sperm enjeksiyonu olgusu
Ender Yalçinkaya, Alev Özay, Elif G. Ergin, Zeynep Öztel, Hakan Özörnek; İstanbul, Turkey
- 99** Amphicrine carcinoma of the cervix-adeno neuroendocrine tumor: A case report
Servikal ampikrin adeno-nöroendokrin karsinom: Olgusu
Erdem Fadiloğlu, Alper Karalök, Osman Türkmen, Şeyma Asiltürk, Reyhan Öçalın, Nurettin Boran, Heyecan Ökten, Taner Turan, Gökhan Tulunay; Ankara, Turkey
- 103** Do preeclampsia symptoms resolve after intrauterine death of a fetus?
Preeklampsi semptomları fetal ölüm sonrası kaybolur mu?
Serdar Balci, Taylan Bodur, Yusuf Aytaç Tohma, Recep Emre Okyay, Bahadır Saatli, Sabahattin Altunyurt; Ankara, Muğla, İzmir, Turkey
- 106** Early prenatal diagnosis of thoraco-omphalopagus twins at ten weeks of gestation by ultrasound
On hafta dört günlük torako-omfalopagus ikiz olgusunun ultrason ile erken prenatal tanısı
Dilşat Herkişoğlu, Başak Baksu, Oya Pekin; İstanbul, Turkey