



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

December 2020 Volume: 17 Issue: 4

www.tjoddergisi.org

Clinical Investigations

- ▶ **Endometrial CD56+ natural killer cells**
Endometrial CD56+ natürel killer hücreleri
Gulchin Babayeva, Yunus Emre Purut, Burak Giray, Pembe Oltulu, Rabia Alakuş, Mehmet Cengiz Çolakoğlu; Konya, İstanbul, Turkey
- ▶ **Comparison of intramuscular and subcutaneous progesterone**
İntramüsküler ve subkütanöz progesteron karşılaştırılması
Emre Niyazi Turgut, Fazilet Kübra Boynukalın, Meral Gültomruk, Zalihe Yarkiner, Mustafa Bahçeci; İstanbul, Kyrenia, Turkey, Cyprus
- ▶ **Letrozole priming in vitro maturation**
Letrozol ile öncüllenen in vitro maturasyon
Şafak Hatırnaz, Ebru Saynur Hatırnaz, Alper Başbuğ, Mine Kanat Pektaş, Onur Erol, Michael Dahan, Seang Tan; Samsun, Quebec, Düzce, Afyonkarahisar, Antalya, Quebec, Turkey, Canada
- ▶ **Electro-acupuncture in hysterosalpingography**
Histerosalpingografide elektro-akupunktur
Zeyneb Bakacak, Adnan Demirel, Murat Bakacak, Aykut Urfaloğlu, Aslı Yaylalı, Ömer Faruk Boran, Mustafa Kaplanoğlu, Hakan Kıran, Mehtap Gizir; Kahramanmaraş, Bolu, Turkey
- ▶ **Pentoxifylline against preterm fetal injury**
Preterm fetal hasara karşı pentoksifilin
Mekin Sezik, Afşin Köker, Özlem Özmen, Mehmet Haligür, Duygu Kaşıkçı, Ahmet Aydoğan, Orhan Özaltık, Isparta, Burdur, Adana, Turkey
- ▶ **Results of prenatally diagnosed pes equinovarus**
Prenatal tanı konulan pes ekinovarus sonuçları
Mete Sucu, Süleyman Cansun Demir; Adana, Turkey
- ▶ **Prediction model vaginal birth after cesarean**
Sezaryen sonrası vajinal doğum tahmin modeli
Pinkey Lakra, Bhagyashri Patil, Sunita Siwach, Manisha Upadhyay, Shivani Shivani, Vijayata Sangwan, Rajiv Mahendru; Haryana, India
- ▶ **Prenatal diagnosis of congenital heart diseases**
Konjenital kalp hastalıklarının prenatal tanısı
Pelin Koşger, Melih Velipaşaoğlu, Tuğçem Keskin, Hikmet Kızıtanır, Birsan Uçar; Eskişehir, Turkey
- ▶ **Pulmonary morbidity related to diaphragm surgery**
Diafram cerrahisi ilişkili pulmoner morbiditenin tanımlanması
Mykhailo V Medvediev, Antonio Malvasi, Sarah Gustapane, Andrea Tinelli; Dnipropetrovsk, Bari, Lecce, Lecce, Ukrain, Italy
- ▶ **Hemorrhagic corpus luteum: Clinical management update**
Hemorajik korpus luteum: Klinik yönetimin güncellemesi
Yasin Durmuş, Alper Karalok, Sinem Ayşe Duru Çötel, Nurettin Boran, Mehmet Ünsal, Gökhan Boyraz, Taner Turan; Ankara, Turkey
- ▶ **Adenoid cystic carcinoma of Bartholin's gland**
Akciğer lobektomi sonrası rastlanan Bartholin kanseri
Seda Şahin Aker, Cevriye Cansız Ersöz, Fırat Ortaç; Ankara, Turkey





TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

■ Owner on the behalf of Turkish Society of Obstetrics and Gynecology

Ateş Karateke

■ Editorial Manager

Eray Çalışkan

■ Past/Honorary Editor in Chief

Hulusi Bülent Zeyneloğlu

■ Editor in Chief

Eray Çalışkan

Bahçeşehir University Faculty of Medicine, Department of Obstetrics and Gynecology, İstanbul, Turkey

ORCID: orcid.org/0000-0002-6799-5909

■ Editors

Bariş Ata

Koç University Faculty of Medicine, Department of Obstetrics and Gynecology, İstanbul, Turkey

ORCID: orcid.org/0000-0003-1106-3747

Evrin Erdemoğlu

Süleyman Demirel Faculty of Medicine, Department of Gynecologic Oncology, Isparta, Turkey

ORCID: orcid.org/0000-0002-5993-6968

Münire Erman Akar

Akdeniz University Faculty of Medicine, Department of Obstetrics and Gynecology, Antalya, Turkey

ORCID: orcid.org/0000-0002-3656-3787

Bülent Haydardedeoğlu

Başkent University Faculty of Medicine, Department of Obstetrics and Gynecology, Adana, Turkey

ORCID: orcid.org/0000-0001-9873-7454

Fatma Ferda Verit

İstanbul Süleymaniye Maternity Training and Research Hospital, Clinic of Obstetrics and Gynecology, İstanbul, Turkey

ORCID: orcid.org/0000-0002-7104-4532

Recep Yıldızhan

Yüzüncü Yıl University Faculty of Medicine, Department of Obstetrics and Gynecology and Perinatology, Van, Turkey

ORCID: orcid.org/0000-0002-2841-0453

■ Section Editors

Gürkan Bozdağ

Hacettepe University Faculty of Medicine, Department of Obstetrics and Gynecology, Ankara, Turkey

Cem Çelik

Bahçeci Umut IVF Center, İstanbul, Turkey

Emek Doğer

Kocaeli University Faculty of Medicine, Department of Obstetrics and Gynecology, Kocaeli, Turkey

Melih Atahan Güven

Acibadem Hospital, Clinic of Obstetrics and Gynecology, İstanbul, Turkey

Hatice Banu Kumbak Aygün

Acibadem University Faculty of Medicine, Department of Obstetrics and Gynecology, İstanbul, Turkey

Özlem Özdeğirmenci

Zekai Tahir Burak Women's Health Training and Research Hospital, Clinic of Obstetrics and Gynecology, Ankara, Turkey

Kemal Özerkan

Uludağ University Faculty of Medicine, Department of Obstetrics and Gynecology, Bursa, Turkey

■ English Language Editor

David Chapman, Winchester, England

■ Statistics Editors

Murat Api

Medipol University Faculty of Medicine, Department of Obstetrics and Gynecology, İstanbul, Turkey

Ayşen Telce Boza

Vehbi Koç Foundation American Hospital, Clinic of Obstetrics and Gynecology, İstanbul, Turkey

■ Managing Editors

Rahime Nida Bayık

Ümraniye Training and Research Hospital, Department of Obstetrics and Gynecology, İstanbul, Turkey

Yiğit Çakıroğlu

Kocaeli University Faculty of Medicine, Department of Obstetrics and Gynecology, Kocaeli, Turkey

Kemal Güngördük

Muğla Sıtkı Koçman University Training and Research Hospital, Clinic of Gynecologic Oncology, Muğla, Turkey



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

Editorial Board

Remzi Abalı

Namık Kemal University Faculty of Medicine, Department of Obstetrics and Gynecology, Tekirdağ, Turkey

Aris Antsaklis

University of Athens, Department of Obstetrics and Gynecology, Athens, Greece

Aydın Arıcı

Yale University, Obstetrics, Gynecology and Reproductive Sciences, Connecticut, USA

Tayfun Bağış

Acıbadem University Faculty of Medicine, Department of Obstetrics and Gynecology, İstanbul, Turkey

Başak Baksu

Şişli Etfal Training and Research Hospital, Clinic of Obstetrics and Gynecology, İstanbul, Turkey

Eralp Başer

Zekai Tahir Burak Women's Health Training and Research Hospital, Clinic of Gynecologic Oncology, Ankara, Turkey

Ercan Baştu

İstanbul University Faculty of Medicine, Department of Obstetrics and Gynecology, İstanbul, Turkey

Orhan Bükülmez

University of Texas Southwestern Medical Center, Reproductive Endocrinology and Infertility, Dallas, USA

Sabri Cavkaytar

Zekai Tahir Burak Women's Health Training and Research Hospital, Clinic of Gynecologic Oncology, Ankara, Turkey

Aylin Pelin Çil

Gazi Public Hospital, Clinic of Obstetrics and Gynecology, Ankara, Turkey

Cem Dane

Haseki Training and Research Hospital, Clinic of Gynecologic Oncology, İstanbul, Turkey

Berna Dilbaz

Etlik Zübeyde Hanım Women's Health Training and Research Hospital, Clinic of Infertility and Family Planning, Ankara, Turkey

Polat Dursun

Başkent University Faculty of Medicine, Department of Obstetrics and Gynecology, Ankara, Turkey

Mehmet Sıddık Evsen

Dicle University Faculty of Medicine, Department of Obstetrics and Gynecology, Diyarbakır, Turkey

Kazım Gezginç

Necmettin Erbakan University Meram Faculty of Medicine, Department of Obstetrics and Gynecology, Konya, Turkey

Çağrı Gülümser

Başkent University Faculty of Medicine, Department of Obstetrics and Gynecology, Ankara, Turkey

Haldun Güner

Gazi University Faculty of Medicine, Department of Obstetrics and Gynecology, Ankara, Turkey

Issam Lebbi

Obstetrics and Gynecology and Fertility Private Clinic; Dream Center, Belvedere, Tunisia

Giampaolo Mandruzzato

Istituto per l'Infanzia, Burlo Garofolo, Obstetrics and Gynecology, Trieste, Italy

Charles E. Miller

Edward-Elmhurst Health Hospital, Gynecology; Reproductive Endocrinology and Infertility, The Advanced IVF and Gynecologic Surgery Institute, Naperville, USA

Ceana H. Nezhat

Northside Hospital Director of Training and Education, Nezhat Medical Center, Endometriosis, Minimally Invasive Surgery, Atlanta, USA

Batuhan Özmen

Ankara University Faculty of Medicine, Cebeci Training and Research Hospital, Clinic of Obstetrics and Gynecology, Ankara, Turkey

Abdullah Karaer

İnönü University Faculty of Medicine, Department of Obstetrics and Gynecology, Malatya, Turkey

Emre Karaşahin

Gülhane Training and Research Hospital, Clinic of Obstetrics and Gynecology, Ankara, Turkey

Taner Kasapoğlu

Etlik Zübeyde Hanım Women's Health Training and Research Hospital, Clinic of Perinatology, Ankara, Turkey

Esra Buldan Kılıçdağ

Başkent University Faculty of Medicine, Department of Obstetrics and Gynecology, Ankara, Turkey

Ali Kolusarı

Yüzüncü Yıl University Faculty of Medicine, Department of Obstetrics and Gynecology and Perinatology, Van, Turkey

Zehra Kurdoğlu

Yüzüncü Yıl University Faculty of Medicine, Department of Obstetrics and Gynecology and Perinatology, Van, Turkey

Mehmet Anıl Onan

Gazi University Faculty of Medicine, Department of Obstetrics and Gynecology, Ankara, Turkey

Halil Gürsoy Pala

University of Health Sciences, Tepecik Training and Research Hospital, Clinic of Obstetrics and Gynecology, Perinatology, İzmir, Turkey

Federico Prefumo

Local Health District of Garda, Obstetrics, Brescia, Italy

Walid Saghir

Clemenceau Medical Center and Trad Hospital, Clinic of Obstetrics and Gynecology, Lebanon, UAE



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

Emre Seli

Yale University, Obstetrics, Gynecology and Reproductive Sciences,
Connecticut, USA

Silber Sherman

Infertility Center of St. Louis at St. Luke's Hospital; Public Health Service,
Alaska, USA

Akın Sivaslıoğlu

Ankara Atatürk Training and Research Hospital, Clinic of Obstetrics and
Gynecology, Ankara, Turkey

Fatih Şendağ

Acıbadem University Faculty of Medicine, Department of Obstetrics and
Gynecology, İstanbul, Turkey

Alper Tanrıverdi

Adnan Menderes University Faculty of Medicine, Department of Obstetrics
and Gynecology, Aydın, Turkey

Ömer Lütfi Tapısız

Etlik Zübeyde Hanım Women's Health Training and Research Hospital,
Clinic of Obstetrics and Gynecology, Ankara, Turkey

Ebru Tarım

Başkent University Adana Application and Research Center,
Department of Obstetrics and Gynecology, Adana, Turkey

Abdülkadir Turgut

İstanbul Medeniyet University Faculty of Medicine,
Department of Obstetrics and Gynecology, İstanbul, Turkey

İlgın Türkçüoğlu

İnönü University Faculty of Medicine, Department of Obstetrics and
Gynecology, Malatya, Turkey

Mete Gürol Uğur

Gaziantep University Faculty of Medicine, Department of Obstetrics and
Gynecology, Gaziantep, Turkey

Serdar Ural

Penn State Hershey Womens Health Obstetrics and Gynecology,
Maternal-Fetal Medicine, Pennsylvania, USA

Yaprak Üstün

Zekai Tahir Burak Women's Health Training and Research Hospital,
Clinic of Obstetrics and Gynecology, Ankara, Turkey

Yusuf Üstün

Medicana International Ankara Hospital, Clinic of Obstetrics and
Gynecology, Ankara, Turkey

Gazi Yıldırım

Yeditepe University Faculty of Medicine, Department of Obstetrics and
Gynecology, İstanbul, Turkey

Contact

Çetin Emec Bulvarı Hürriyet Caddesi Harbiye Mahallesi 1/13 Öveçler, Ankara, Turkey
Phone: +90 312 481 06 06 Fax: +90 312 481 28 28 E-mail: editor@tjod.org

All rights are reserved. Rights to the use and reproduction, including in the electronic media, of all communications, papers, photographs and illustrations appearing in this journal belong to the Turkish Journal of Obstetrics and Gynecology. Reproduction without prior written permission of part or all of any material is forbidden. The journal complies with the Professional Principles of the Press. Reviewing the articles' conformity to the publishing standards of the Journal, typesetting, reviewing and editing the manuscripts and abstracts in English and publishing process are realized by Galenos.



Galenos Publishing House
Owner and Publisher
Derya Mor
Erkan Mor

Publication Coordinator
Burak Sever

Web Coordinators
Fuat Hocalar
Turgay Akpınar

Graphics Department
Ayda Alaca
Çiğdem Birinci
Gülşah Özgül

Finance Coordinator
Sevinç Çakmak

Project Coordinators

Duygu Yıldırım
Gamze Aksoy
Hatice Sever
Melike Eren
Pınar Akpınar
Gülşah Akın
Özlem Çelik
Rabia Palazoğlu

Research&Development
Mert Can Köse
Mevlûde Özlem Akgüney

Publisher Contact

Address: Molla Gürani Mah. Kaçamak Sk. No: 21/1
34093 İstanbul, Turkey
Phone: +90 (212) 621 99 25
Fax: +90 (212) 621 99 27
E-mail: info@galenos.com.tr/yayin@galenos.com.tr
Web: www.galenos.com.tr
Publisher Certificate Number:14521

Online Publication Date: December 2020

ISSN: 2149-9322 E-ISSN: 2149-9330
International scientific journal published quarterly.



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

AIMS AND SCOPE

Turkish Journal of Obstetrics and Gynecology (formerly called Türk Jinekoloji ve Obstetrik Derneği Dergisi) is the official peer-reviewed journal of the Turkish Society of Obstetrics and Gynecology and is published quarterly on March, June, September and December.

It is an independent peer-reviewed international journal published in English language since 2014 September. Manuscripts are reviewed in accordance with "double-blind peer review" process for both referees and authors.

The target audience of Turkish Journal of Obstetrics and Gynecology includes gynecologists, obstetricians, urogynecologists, reproductive medicine specialists, gynecological oncologists and primary care physicians interested in gynecology practice. It publishes original work on all aspects of obstetrics and gynecology. The aim of Turkish Journal of Obstetrics and Gynecology is to publish high quality original research articles. In addition to research articles, reviews, editorials, letters to the editor and case presentations are also published.

The General Guidelines for manuscript preparation specified below are based on "Recommendations for the Conduct, Reporting, Editing, & Publication of Scholarly Work in Medical Journals (ICMJE Recommendations)" by the International Committee of Medical Journal Editors (2016, archived at <http://www.icmje.org/>).

- Turkish Journal of Obstetrics and Gynecology is indexed in PubMed Central (PMC), Web of Science-Emerging Sources Citation Index (ESCI), EBSCO, DOAJ, Index Copernicus, CINAHL, Google Scholar, Tübitak / Ulakbim Turkish Medical Database, Turk Medline and Turkiye Citation Index.

Open Access Policy

This journal provides immediate open access to its content on the principle that making research freely available to the public supporting a greater global exchange of knowledge.

Open Access Policy is based on rules of Budapest Open Access Initiative (BOAI) <http://www.budapestopenaccessinitiative.org/>. By "open access" to [peer-reviewed research literature], we mean its free availability on the public internet, permitting any users to read, download, copy, distribute, print, search, or link to the full texts of these articles, crawl them for indexing, pass them as data to software, or use them for any other lawful purpose, without financial, legal, or technical barriers other than those inseparable from gaining access to the internet itself. The only constraint on reproduction and distribution and the only role for copyright in this domain, is given to authors to retain control over the integrity of their work and the right to be properly acknowledged and cited.

This journal is licensed under a Creative Commons 3.0 International License.

Permission

Permission required for use any published under CC-BY-NC license with commercial purposes (selling, etc.) to protect copyright owner and author rights. Reproduction and reproduction of images

or tables in any published material should be done with proper citation of source providing author names; title of the article; journal's name, year (volume) and page numbers of publication; copyright year of the article.

Financial expenses of the journal are covered by Turkish Society of Obstetrics and Gynecology.

Subscription Information

Turkish Journal of Obstetrics and Gynecology is distributed free of charge to all physicians, specialists in obstetrics and gynecology field. The access to tables of contents, abstracts and full texts of all articles published since 2004 are free to all readers via the journal's webpage "<http://www.tjoddergisi.org>". Visit the journal's home pages for details of the aims and scope and instruction to authors. Manuscripts can only be submitted electronically through the Journal Agent website (<http://journalagent.com/tjo/>) after creating an account. This system allows online submission and review.

Instructions for Authors

Instructions for authors page of the journal is available in the journal content and at www.tjoddergisi.org

Disclaimer

The statements and opinions expressed contained in the articles of the Turkish Journal of Obstetrics and Gynecology are solely those of the individual authors and contributors not of the Turkish Society of Obstetrics and Gynecology or Galenos Yayınevi.

Advertising

Enquiries concerning advertisements should be addressed to Editorial Office or Publisher:

Editorial Office

Editor-in-Chief: Eray Çalışkan, M.D.

Address : Çetin Emeç Bulvarı Hürriyet Caddesi Harbiye Mahallesi 1/13 Öveçler, Ankara - Turkey

Phone : +90 (312) 481 06 06

Fax : +90 (312) 481 28 28

E-mail : info@tjod.org

Publisher

Galenos Yayınevi Tic. Ltd. Şti.

Address : Molla Gürani Mah. Kaçamak Sk. No: 21/1 34093 Fındıkzade, İstanbul - Turkey

Phone : +90 212 621 99 25

Fax : +90 212 621 99 27

E-mail : info@galenos.com.tr



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

INSTRUCTIONS FOR AUTHORS

The "Turkish Journal of Obstetrics and Gynecology" is the official publication of the Turkish Society of Obstetricians and Gynecologists. The journal is published quarterly (March, June, September and December) in English and publishes original peer-reviewed articles, reviews, case reports and commentaries in the fields of gynecology, gynecologic oncology, endocrinology and reproductive medicine and obstetrics. The journal gives publication priority to original research articles over case reports. Reviews are considered for publication only if they are prepared by authors who have at least three published manuscripts in international peer-reviewed journals on the topic of the review and these studies should be cited in the review. Otherwise only invited reviews will be considered for peer-review from qualified experts in the area.

The "Turkish Journal of Obstetrics and Gynecology" is a peer-reviewed journal and adheres to the highest ethical and editorial standards. The editors also adhere to the Committee on Publications Ethics (COPE) recommendations (<http://publicationethics.org>).

The journal should be abbreviated as Turk J Obstet Gynecol when referenced.

Turkish Journal of Obstetrics and Gynecology does not charge any article submission or processing charges.

Turkish Journal of Obstetrics and Gynecology is indexed in PubMed Central (PMC), Web of Science-Emerging Sources Citation Index (ESCI), EBSCO, DOAJ, Index Copernicus, CINAHL, Google Scholar, Tübitak/Ulakbim Turkish Medical Database, Turk Medline, Hinari, GOALI, ARDI, OARE and Türkiye Citation Index.

Submission of Manuscripts

Turkish Journal of Obstetrics and Gynecology has specific instructions and guidelines for submitting articles. Those instructions and guidelines are readily available on the submission service site. Submit all manuscripts through the journal's web page at www.tjoddergisi.org. New users should first create an account. Once a user is logged onto the site, submissions should be made via the Author Centre. Download the Instructions to Authors for detailed notes on how to prepare your manuscript.

The ORCID (Open Researcher and Contributor ID) number of the correspondence author should be provided while sending the manuscript. A free registration can be done at <http://orcid.org>.

Manuscripts submitted via any other medium will not be evaluated. During the submission please make sure to provide all requested information to prevent any possible delays in the evaluation process. Only those submitted articles are not currently being considered by another journal, or have not been previously published, will be considered for publication in Turkish Journal of Obstetrics and Gynecology. The submitted articles are firstly evaluated over by the non-biased editors. The articles that meet the originality and other requirements of the journal are peer-reviewed by the national or international referees. Acceptance for publication is based on significance, novelty, and quality of the article.

Authors who have any queries regarding the submission process can contact the journal's editorial office:

Çetin Emeç Bulvarı Harbiye Mahallesi Hürriyet Caddesi 1/3 Öveçler/Ankara.

Phone number: +90 (312) 481 06 06

E-mail: editor@tjod.org

Editorial Policies

All manuscripts will be evaluated for their scientific contribution, originality and content by the editorial board. Only those submitted articles are not currently being considered by another journal, or have not been previously published, will be considered for publication in Turkish Journal of Obstetrics and Gynecology. Authors are responsible for the accuracy of the data presented in their manuscript. The journal retains the right to make appropriate changes on the grammar and language of the manuscript when needed. When suitable the manuscript will be sent to the corresponding author for revision. The manuscript, if accepted for publication, will become the property of the journal and copyright will be taken out in the name of the journal.

All manuscripts submitted to the journal for publication are checked by Crossref Similarity Check powered by iThenticate software for plagiarism. If plagiarism is detected, relevant institutions may be notified. In this case, the authors might be asked to disclose their raw data to relevant institutions.

Peer-review

Turkish Journal of Obstetrics and Gynecology is an independent international journal based on double-blind peer-review principles. The manuscript is assigned to the Editor-in-Chief, who reviews the manuscript and makes an initial decision based on manuscript quality and editorial priorities. These manuscripts then sent for external peer-review, the Editor in Chief assigns Associate Editor. The Associate Editor sends the manuscript to the 3 internal and external reviewers. The reviewers must review the manuscript in 21 days. Associate Editor recommends decision based on the reviewers' recommendations and sends the manuscript to the Editor-in-Chief. The Editor-in-Chief makes a final decision based on editorial priorities, manuscript quality and reviewer recommendations. If there are any conflicting recommendation of reviewers, Editor-in-Chief can assign a new reviewer. The scientific board guiding the selection of the papers to be published in the journal consists of elected experts of the journal and if necessary, selected from national and international experts in the relevant field of research. All manuscripts are reviewed by the editor, section associate editors and at least three internal and external expert referees. All research articles undergo review by statistics editor as well.

Full text of all articles can be downloaded at the web site of the journal: www.tjoddergisi.org

Authorship

The role of authorship in Turkish Journal of Obstetrics and Gynecology is reserved for those individuals who meet the criteria recommended by the International Committee of Medical Journal Editors (ICMJE; <http://www.icmje.org>). Describe each authors' contribution by using ICMJE's criteria: substantial contributions to the conception or design; the acquisition, analysis, or interpretation of data; drafting the work or revising it critically for important intellectual content; final approval of the version to be published; agreement to be accountable for all aspects of the study in ensuring that questions related to the accuracy or integrity of any part of the work are



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

INSTRUCTIONS FOR AUTHORS

appropriately investigated and resolved. The statement about the authors' contributions should be placed in the cover letter. All persons who contributed to the work, but not sufficiently to be authors, must be acknowledged.

Cover Letter

Cover letter to the editors addressing the following points:

- The authors' intent to submit solely to Turkish Journal of Obstetrics and Gynecology.
- Verification that the manuscript is not under consideration elsewhere, and indication from the authors that it will not be submitted elsewhere until a final decision is made by the editors of Turkish Journal of Obstetrics and Gynecology.
- The declaration of transparency from the corresponding author.
- Clinical trial registration, if applicable.
- Institutional review board (IRB) approval or exemption.
- Informed consent.
- Any explanations related to reporting guidelines.
- The statement about the authors' contributions.

Preparation of Manuscripts

The "Turkish Journal of Obstetrics and Gynecology" follows the Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals" (International Committee of Medical Journal Editors - <http://www.icmje.org/>). Upon submission of the manuscript, authors are to indicate the type of trial/research and provide the checklist of the following guidelines when appropriate:

CONSORT statement for randomized controlled trials (Moher D, Schulz KF, Altman D, for the CONSORT Group. The CONSORT statement revised recommendations for improving the quality of reports of parallel group randomized trials. JAMA 2001; 285: 1987-91) (<http://www.consort-statement.org/>),

PRISMA for preferred reporting items for systematic reviews and meta-analyses (Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group. Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Med 2009; 6(7): e1000097.) (<http://www.prisma-statement.org/>),

STARD checklist for the reporting of studies of diagnostic accuracy (Bossuyt PM, Reitsma JB, Bruns DE, Gatsonis CA, Glasziou PP, Irwig LM, et al, for the STARD Group. Towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative. Ann Intern Med 2003;138:40-4.) (<http://www.stard-statement.org/>),

STROBE statement-checklist of items that should be included in reports of observational studies (<http://www.strobe-statement.org/>),

MOOSE guidelines for meta-analysis and systemic reviews of observational studies (Stroup DF, Berlin JA, Morton SC, et al. Meta-analysis of observational studies in epidemiology: a proposal for reporting Meta-analysis of observational Studies in Epidemiology (MOOSE) group. JAMA 2000; 283: 2008-12).

CARE guidelines are designed to increase the accuracy, transparency, and usefulness of case reports. (Gagnier JJ, Kienle G, Altman DG, Moher

D, Sox H, Riley D; the CARE Group. The CARE Guidelines: Consensus-based Clinical Case Reporting Guideline Development.) (<http://www.care-statement.org/>)

Human and Animal Studies

Manuscripts submitted for publication must contain a statement to the effect that all human studies have been reviewed by the appropriate ethics committee and have therefore been performed in accordance with the ethical standards described in an appropriate version of the 1964 Declaration of Helsinki, as revised in 2013 (<http://www.wma.net/en/30publications/10policies/b3/>). It should also be stated clearly in the text that all persons gave their informed consent prior to their inclusion in the study. Details that might disclose the identity of the subjects under study should be omitted. In case of usage of any image media that potentially can expose patients' identity requires obtaining permission for publication from the patients or their parents/guardians. Experimental animal studies should be presented with the disclosure of the appropriateness to the institutional/national/international ethical guides on care and use of laboratory animals.

Reports of animal experiments must state that the "Principles of laboratory animal care" (NIH publication No. 86-23, revised 1985) were followed, as well as specific national laws where applicable.

The editors reserve the right to reject manuscripts that do not comply with the above mentioned requirements. The author will be held responsible for false statements or for failure to fulfill the above mentioned requirements.

Authors must provide statement on the absence of conflict of interests between authors and provide authorship contributions and declare if any financial/material support.

Copyright

The author(s) transfer(s) the copyright to his/her article to the Turkish Journal of Obstetrics and Gynecology effective if and when the article is accepted for publication. The copyright covers the exclusive and unlimited rights to reproduce and distribute the article in any form of reproduction (printing, electronic media or any other form); it also covers translation rights for all languages and countries. For U.S. authors the copyright is transferred to the extent transferable.

After receiving and accept decision for publication, submissions must be accompanied by the "Copyright Transfer Statement". The form is available for download on the journal's manuscript submission and evaluation site. The copyright transfer form should be signed by all contributing authors and a scanned version of the wet signed document should be submitted.

Manuscript Structure

All manuscripts must be submitted as Microsoft Word (.doc or .docx) files. All manuscript pages (including references, tables, and figure legends) must be double-spaced. Use a standard, 12-point typeface such as Times New Roman. Top, bottom, and side margins should be set at 1 inch. Authors must include the following in the manuscript file:

INSTRUCTIONS FOR AUTHORS

Title Page

A separate title page should list;

-The manuscript title, which should contain no more than a total of 100 characters (counting letters and spaces) and should not be declarative; do not use abbreviations or commercial names in the title.

- A short title of no more than 50 characters, including spaces, for use as a running foot.

- All author name(s), institutional, corporate, or commercial affiliations, and up to two major degree(s).

- Corresponding author's name, address, telephone (including the mobile phone number), fax numbers and e-mail address (the corresponding author will be responsible for all correspondence and other matters relating to the manuscript).

Precis

The precis is a one-sentence synopsis of no more than 30 words that describes the basic findings of the article. Precis sample can be seen below:

'Using a 45 point questionnaire, we have evaluated the trend of Robotic surgery training in the gynecologic surgery fellowship programs across the nation'.

Abstract

All manuscripts should be accompanied by an abstract. All information in the abstract should be consistent with the information in the text, tables, or figures. Avoid use of commercial names in the abstract. Original research reports should have a structured abstract of no more than 250 words, using the following headings:

- Objective: Main question, objective, or hypothesis (single phrase starting with, for example, "To evaluate..." or "To estimate." [never start with "To determine."]).
- Materials and Methods: Study design, participants, outcome measures, and in the case of a negative study, statistical power.
- Results: Measurements expressed in absolute numbers and percentages, and when appropriate indicate relative risks or odds ratios with confidence intervals and level of statistical significance; any results contained in the abstract should also be presented in the body of the manuscript, tables, or figures.
- Conclusion: Directly supported by data, along with clinical implications.

Authors from Turkey or Turkish speaking countries are expected to submit a Turkish abstract including subheadings such as "Amaç, Gereç ve Yöntemler, Bulgular, Sonuç". The abstract of Authors whose native language is not Turkish will be provided free of charge translation services into Turkish language.

A structured abstract is not required with review articles and case reports.

Keywords

Below the abstract provide 3 to 5 keywords. Abbreviations should not be used as keywords. Keywords should be picked from the Medical

Subject Headings (MeSH) list (www.nlm.nih.gov/mesh/MBrowser.html).

Turkish abstracts should have keywords "Anahtar Kelimeler" picked from www.atifdizini.com under "Türkiye Bilim Terimleri" link.

Several types of articles can be submitted for publication in Turkish Journal of Obstetrics and Gynecology: Original research, case reports, systematic reviews, current commentaries, procedures and instruments, and letters. Stated word counts and page limits were shown in Table 1. Copyright transfer forms, the cover letter, and figures do not contribute to the page limits.

Table 1. Manuscript length at a glance

Article type	Abstract Length	Manuscript Word Count*	Maximum Number of Authors	Maximum Number of References [†]
Original Research	250 words	5,500 words (~22 pages) [‡]	NA	30
Case report	150 words	2,000 words (~8 pages)	4	8
Systematic review	300 words	6,250 words (~25 pages)	4	60
Current commentary	250 words	3,000 words (~12 pages)	4	12
Procedure and Instruments	200 words	2,000 words (~8 pages)	4	10
Letters	NA	350 words	4	5

*Manuscript length includes all pages in a manuscript (ie, title page, abstract, text, references, tables, boxes, figure legends, and appendixes). [†]Suggested limit. [‡]The Introduction should not exceed 250 words. [§]approximately; NA, not applicable.

Original researches should have the following sections;

Introduction

State concisely the purpose and rationale for the study and cite only the most pertinent references as background. Avoid a detailed literature review in this section.

Materials and Methods

Describe the research methodology (the patients, experimental animals, material and controls, the methods and procedures utilized, and the statistical method(s) employed) in sufficient detail so that others could duplicate the work. Identify methods of statistical analysis and when appropriate, state the basis (including alpha and beta error estimates) for their selection. Cite any statistical software programs used in the text. Express p values to no more than two decimal places. Indicate your study's power to detect statistical difference.

Address "IRB" issues and participants informed consent as stated above, the complete name of the IRB should be provided in the manuscript. State the generic names of the drugs with the name and country of the manufactures.

Results

Present the detailed findings supported with statistical methods. Figures and tables should supplement, not duplicate the text; presentation of data in either one or the other will suffice. Authors should report



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

INSTRUCTIONS FOR AUTHORS

outcome data as both absolute and relative effects since information presented this way is much more useful for clinicians. Actual numbers and percentages should be given in addition to odds ratios or relative risk. When appropriate, number needed to treat for benefits (NNTb) or harm (NNTh) should be supplied. Emphasize only your important observations; do not compare your observations with those of others. Such comparisons and comments are reserved for the discussion section.

Discussion

Begin with a description of what your study found in relation to the purpose or objectives as stated in the Introduction. State the importance and significance of your findings to clinicians and actual patient care but do not repeat the details given in the Results section. Limit your opinions to those strictly indicated by the facts in your report. Compare your finding with previous studies with explanations in cases where they differ, although a complete review of the literature is not necessary.

Study Limitations

Provide information on the limitations of the study. No new data are to be presented in this section. A final summary is not necessary, as this information should be provided in the abstract and the first paragraph of the Discussion. Although topics that require future research can be mentioned, it is unnecessary to state, "Further research is needed."

Conclusion

The conclusion of the study should be highlighted. The study's new and important findings should be highlighted and interpreted.

Conflict of Interest

Authors must indicate whether or not they have a financial relationship with the organization that sponsored the research.

The main text of case reports should be structured with the following subheadings:

Introduction, Case Report, Discussion and References.

References

References are numbered (Arabic numerals) consecutively in the order in which they appear in the text (note that references should not appear in the abstract) and listed double-spaced at the end of the manuscript. The preferred method for identifying citations in the text is using within parentheses. Use the form of the "Uniform Requirements for Manuscripts" (<http://www.icmje.org/about-icmje/faqs/icmje-recommendations/>). If number of authors exceeds seven, list first 6 authors followed by et al.

Use references found published in peer-reviewed publications that are generally accessible. Unpublished data, personal communications, statistical programs, papers presented at meetings and symposia, abstracts, letters, and manuscripts submitted for publication cannot be listed in the references. Papers accepted by peer-reviewed publications but not yet published ("in press") are not acceptable as references.

Journal titles should conform to the abbreviations used in "Cumulated Index Medicus".

Examples

Journals; Zeyneloglu HB, Onalan G. Remedies for recurrent implantation failure. *Semin Reprod Med* 2014;32:297-305.

Book chapter; Ayhan A, Yenen MC, Dede M, Dursun P, Gultekin M. How to Manage Pre-Invasive Cervical Diseases? An Overview. In: Ayhan A, Gultekin M, Dursun P, editors. *Textbook of Gynaecological Oncology*. Ankara, Turkey: Gunes Publishing; 2010. p. 28-32.

Book; Arici A, Seli E. Non-invasive Management of Gynecologic Disorders. In: Arici A, Seli E (eds). *London: Informa Healthcare*; 2008.

Tables and Figures

Tables should be included in the main document after the reference list. Color figures or gray-scale images must be at minimum 300 DPI resolutions. Figures should be submitted in ".tiff", ".jpg" or ".pdf" format and should not be embedded in the main document. Tables and figures consecutively in the order they are referred to within the main text. Each table must have a title indicating the purpose or content of the table. Do not use internal horizontal and vertical rules. Place explanatory matter in footnotes, not in the heading. Explain all abbreviations used in each table in footnotes. Each figure must have an accompanying descriptive legend defining abbreviations or symbols found in the figure. If photographs of people are used, the subjects must be unidentifiable and the subjects must have provided written permission to use the photograph. There is no charge for color illustrations.

Units of Measurement and Abbreviations

Units of measurement should be in Système International (SI) units. Abbreviations should be avoided in the title. Use only standard abbreviations. If abbreviations are used in the text, they should be defined in the text when first used.

Revisions

Revisions will be sent to the corresponding author. Revisions must be returned as quickly as possible in order not to delay publication. Deadline for the return of revisions is 30 days. The editorial board retains the right to decline manuscripts from review if authors' response delays beyond 30 days. All reviewers' comments should be addressed a revision note containing the author's responses to the reviewers' comments should be submitted with the revised manuscript. An annotated copy of the main document should be submitted with revisions. The Editors have the right to withdraw or retract the paper from the scientific literature in case of proven allegations of misconduct.

Accepted Articles

Accepted articles are provided with a DOI number and published as ahead of print articles before they are included in their scheduled issue.

Journal and Society Web sites:

www.tjod.org (Turkish Society of Obstetrics and Gynecology)

www.tjoddergisi.org (Turkish Journal of Obstetrics and Gynecology)

CONTENTS

Clinical Investigations

- 236 Endometrial CD56+ natural killer cells in women with recurrent implantation failure: An immunohistochemical study
Tekrarlayan implantasyon başarısızlıklarında endometrial CD56+ natürel killer hücreleri: İmmünohistokimyasal çalışma
Gulchin Babayeva, Yunus Emre Purut, Burak Giray, Pembe Oltulu, Rabia Alakuş, Mehmet Cengiz Çolakoglu; Konya, İstanbul, Turkey
- 240 Comparison of intramuscular versus subcutaneous aqueous progesterone for luteal phase support in artificially prepared frozen embryo transfer cycles
Hormon replasmanı ile hazırlanmış dondurulmuş embriyo transfer sikluslarında intramusküler progesteron ve su bazlı subkütanöz progesteronun luteal faz desteği açısından karşılaştırılması
Emre Niyazi Turgut, Fazilet Kübra Boynukalın, Meral Gültomruk, Zalihe Yarkiner, Mustafa Bahçeci; İstanbul, Kyrenia, Turkey, Cyprus
- 247 *In vitro* maturation with letrozole priming: Can it be a solution for patients with cancerophobia? A pilot study
Letrozol ile öncüllenen in vitro maturasyon: Kanserefobik hastalarda bir çözüm olabilir mi? Bir pilot çalışma
Şafak Hatırnaz, Ebru Saynur Hatırnaz, Alper Başbuğ, Mine Kanat Pektaş, Onur Erol, Michael Dahan, Seang Tan; Samsun, Quebec, Düzce, Afyonkarahisar, Antalya, Quebec, Turkey, Canada
- 253 A randomized pilot study of electro-acupuncture treatment for hysterosalpingography pain relief and related anxiety
Histerosalpingografi ilişkili ağrı ve anksiyetede elektro-akupunktur tedavisi: Randomize pilot çalışma
Zeyneb Bakacak, Adnan Demirel, Murat Bakacak, Aykut Urfaloğlu, Aslı Yaylalı, Ömer Faruk Boran, Mustafa Kaplanoğlu, Hakan Kıran, Mehtap Gizir; Kahramanmaraş, Bolu, Turkey
- 259 Antenatal pentoxifylline therapy to prevent endotoxin-induced fetal injury in the preterm goat model
Preterm gebe keçi modelinde endotoksin ile indüklenen fetal hasarın önlenmesinde antenatal pentoksifilin tedavisi
Mekin Sezik, Afşin Köker, Özlem Özmen, Mehmet Haligür, Duygu Kaşıkçı, Ahmet Aydoğan, Orhan Özatık; Isparta, Burdur, Adana, Turkey
- 270 The relationship between isolated pes equinovarus and aneuploidies and perinatal outcomes: Results of a tertiary center
İzole pes ekinovarus ile anöploidiler arasında ilişki ve perinatal sonuçlar: Tersiye tek merkez sonuçları
Mete Sucu, Süleyman Cansun Demir; Adana, Turkey
- 276 A prospective study of a new prediction model of vaginal birth after cesarean section at a tertiary care centre
Üçüncü basamak bir merkezde sezaryen sonrası vajinal doğum için yeni bir tahmin modelinin prospektif çalışması
Pinkey Lakra, Bhagyashri Patil, Sunita Siwach, Manisha Upadhyay, Shivani Shivani, Vijayata Sangwan, Rajiv Mahendru; Haryana, India
- 283 Impact of the expanded examination of fetal heart to the prenatal diagnosis of congenital heart diseases
Genişletilmiş fetal kardiyak değerlendirmenin konjenital kalp hastalıklarının prenatal tanısına etkisi
Pelin Koşger, Melih Velipaşaoğlu, Tuğçem Keskin, Hikmet Kızıtanır, Birsen Uçar; Eskişehir, Turkey
- 290 Pulmonary morbidity related to diaphragm surgery performed for gynecological cancers
Jinekolojik kanser hastalarında yapılan sitoredüktif cerrahiler kapsamında gerçekleştirilen diyafram cerrahilerinin pulmoner morbidite ile ilişkisi
Yasin Durmuş, Alper Karalok, Sinem Ayşe Duru Çötel, Nurettin Boran, Mehmet Ünsal, Gökhan Boyraz, Taner Turan; Ankara, Turkey



TURKISH JOURNAL OF OBSTETRICS AND GYNECOLOGY

CONTENTS

- 298** Hemorrhagic corpus luteum: Clinical management update

Hemorajik korpus luteum: Klinik yönetimin güncellemesi

Mykhailo V Medvediev, Antonio Malvasi, Sarah Gustapane, Andrea Tinelli; Dnipropetrovsk, Bari, Lecce, Lecce, Ukrain, Italy

- 308** Adenoid cystic carcinoma of Bartholin's gland diagnosed after lung lobectomy: Review of the literature and a case presentation

Segmental akciğer lobektomi sonrası rastlanan adenoid kistik bartholin kanseri: Literatür değerlendirilmesi ve olgu takdimi

Seda Şahin Aker, Cevriye Cansız Ersöz, Fırat Ortaç; Ankara, Turkey

Case Report

- 312** Severe ovarian hyperstimulation syndrome and gonadotropin-releasing hormone agonist trigger in patients with hypogonadotropic hypogonadism: A report of two cases

Hipogonadotropik hipogonadizm hastalarında ciddi ovaryan hiperstimülasyon sendromu ve gonadotropin releasing hormon agonistiyle trigger: İki olgu sunumu

Ali Sami Gürbüz, Funda Göde, Fatma Kılıç, Zeynep Umay Gürbüz, Rüya Deveer; Konya, İstanbul, Muğla, Turkey

Letter to the Editor

- 316** Rectus abdominis muscle with different abdominal pathologies: A cite to myofascial trigger point

Farklı abdominal patolojilerle rektus abdominis kası: Miyofasyal tetik noktaya bir atıf

Fatih Bağcıer; İstanbul, Turkey

Index

- 331** 2020 Referee Index

- 332** 2020 Author Index

- 334** 2020 Subject Index